Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Nuclear Instruments and Methods in Physics Research B 205 (2003) ix–xviii
NIM B
Beam Interactions with Materials & Atoms
www.elsevier.com/locate/nimb

Contents

Committees and Sponsors vii
Group Photograph viii
Contents ix
Editorial xix

Section 1. Highly charged ions: Fundamental aspects, structure and spectroscopy

Section 1.1. Fundamental aspects

Precision studies in traps: Measurement of fundamental constants and tests of fundamental theories
G. Werth, Th. Beier, S. Djekic, H.-J. Kluge, W. Quint, T. Valenzuela, J. Verdu and M. Vogel 1
Highly charged ions in exotic atoms research at PSI
D.F. Anagnostopoulos, S. Biri, V. Boisbourdain, M. Demeter, G. Borchert, J.P. Egger, H. Fuhrmann, D. Gotta, A. Gruber, M. Hennebach, P. Indelicato, Y.W. Liu, B. Manil, V.E. Markushin, H. Marton, N. Nelms, A.J. Rusi El Hassani, L.M. Simons, L. Stingelin, A. Wasser, A. Wells and J. Zmeskal 9
Determination of the electron's mass from g-factor experiments on $^{12}C^{5+}$ and $^{16}O^{7+}$
T. Beier, S. Djekic, H. Häffner, P. Indelicato, H.-J. Kluge, W. Quint, V.M. Shabaev, J. Verdú, T. Valenzuela, G. Werth and V.A. Yerokhin 15
Theory of the g factor of lithium-like ions
V.M. Shabaev, D.A. Glazov, M.B. Shabaeva, I.I. Tupitsyn, V.A. Yerokhin, T. Beier, G. Plunien and G. Soff 20
Evaluation of the low-lying energy levels of two- and three-electron configurations for highly charged ions
O.Yu. Andreev, L.N. Labzowsky, G. Plunien and G. Soff 25
On the problem of "spontaneous pair creation" in strong electric fields
N. Szpak 30

Section 1.2. Structure and QED effects

Strong field effects on structure and collisions of high-Z ions
A. Warczak 36
Quantum electrodynamical effects in heavy highly-charged ions
V.A. Yerokhin, A.N. Artemyev, P. Indelicato and V.M. Shabaev 47
X-ray spectroscopy of high-Z highly charged ions with the Tokyo EBIT
N. Nakamura, D. Kato and S. Ohtani 57
Hyperfine structure of heavy hydrogen-like ions
P. Beiersdorfer, J.R. Crespo López-Urrutia, S.B. Utter, E. Träbert, M.G.H. Gustavsson, C. Forssén and A.-M. Mårtensson-Pendrill 62
Autoionizing high-Rydberg states of very heavy Be-like ions: A tool for precision spectroscopy
C. Brandau, T. Bartsch, S. Böhm, C. Böhme, A. Hoffknecht, H. Knopp, S. Schippers, W. Shi, A. Müller, N. Grün, W. Scheid, T. Steih, F. Bosch, B. Franzke, C. Kozhuharov, P.H. Mokler, F. Nolden, M. Steck, T. Stöhlker and Z. Stachura 66

doi:10.1016/S0168-583X(03)01317-X

Theoretical lifetimes for all states of five Cl X configurations
P. Bogdanovich, R. Karpuškienė and I. Martinson 70
An accurate test of calculated positions and lifetimes for $Ne^{6+}(1s^2 3lnl')\ ^1L$ states ($n = 3$ and 4) using a high-resolution electron spectroscopy
A. Bordenave-Montesquieu, P. Moretto-Capelle and D. Bordenave-Montesquieu 74
Doubly excited $^1P^e$ resonances in heliumlike ions below $N = 3$ threshold
M.-K. Chen 78

Section 1.3. Spectroscopy

M1 transition rates from electron beam ion trap and heavy-ion storage ring
E. Träbert, P. Beiersdorfer, G. Gwinner, E.H. Pinnington and A. Wolf 83
A theoretical study of the 3d–2p resonance to intercombination line-intensity ratio in mid-Z Ne-like ions
C.Z. Dong, L.Y. Xie, S. Fritzsche and T. Kato 87
Theoretical Auger and photoionization studies for open-shell atoms and ions
S. Fritzsche, H. Aksela, C.Z. Dong, S. Heinäsmäki and J.E. Sienkiewicz 93
Dielectronic recombination at low energies: Spectroscopy of doubly excited states in beryllium-like Na^{7+} ions
S. Kieslich, S. Böhm, C. Brandau, A. Müller, S. Schippers, W. Shi, G. Gwinner, M. Schnell and A. Wolf 99
Two-electron one-photon transition relativistic calculations for low-Z elements
J.P. Santos, M.C. Martins, A.M. Costa, F. Parente and P. Indelicato 102
Extreme UV observation of 3–3 transitions of niobium in near neon-like charge states
M.C. Buchet-Poulizac, A. Cassimi, G. Cremer, J.-P. Grandin, D. Hennecart, X. Husson, E. Jacquet and J.-F. Wyart 106
EBIT spectroscopy of Pm-like tungsten
R. Hutton, Y. Zou, J. Reyna Almandos, C. Biedermann, R. Radtke, A. Greier and R. Neu 114
The continuing saga of the Si-like intercombination lines in highly charged ions, Si-like rhodium
M. Huang, R. Hutton, Y. Zou, K. Ando and H. Oyama 119
Effect of L- and M-shell ionization on the shapes and parameters of the K X-ray spectra of sulphur
K. Słabkowska and M. Polasik 123
M-subshell ionization in near-central collisions of 20-MeV/amu carbon ions with molybdenum atoms
J. Rzadkiewicz, D. Chmielewska, A. Gójska, Z. Sujkowski, M. Berset, J.-Cl. Dousse, Y.-P. Maillard, O. Mauron, P.-A. Raboud, M. Polasik, J. Hoszowska and M. Pajek 128
Observation of L-X-ray satellites and hypersatellites in collisions of O and Ne ions with Mo and Pd
M. Czarnota, M. Pajek, D. Banaś, D. Chmielewska, J. Rzadkiewicz, Z. Sujkowski, J.-Cl. Dousse, M. Berset, O. Mauron, Y.-P. Maillard, P.A. Raboud, J. Hoszowska, M. Polasik and K. Słabkowska . 133
Closing of Coster–Kronig transitions in multiply ionised gold atoms
D. Banaś, J. Braziewicz, M. Czarnota, I. Fijał, M. Jaskóła, A. Korman, W. Kretschmer, M. Pajek and J. Semaniak 139

Section 2. Highly charged ions: Production, experimental developments and applications

Astrophysics and spectroscopy with microcalorimeters on an electron beam ion trap
E. Takács, E. Silver, J.M. Laming, J.D. Gillaspy, H. Schnopper, N. Brickhouse, M. Barbera, M. Mantraga, L.P. Ratliff, H. Tawara, K. Makónyi, N. Madden, D. Landis, J. Beeman and E.E. Haller 144

Section 2.1. New facilities

Status and perspectives of atomic physics research at GSI: The new GSI accelerator project
Th. Stöhlker, H. Backe, H.F. Beyer, F. Bosch, A. Bräuning-Demian, S. Hagmann, D.C. Ionescu, K. Jungmann, H.-J. Kluge, C. Kozhuharov, Th. Kühl, D. Liesen, R. Mann, P.H. Mokler and W. Quint 156
Third generation ECR ion sources: News and perspectives
S. Gammino, G. Ciavola, L. Celona, L. Andò, D. Hitz, A. Girard and G. Melin 162

Multiply charged ion production with ECR ion sources: State of the art and prospects
D. Hitz, A. Girard, G. Melin, D. Cormier, J.M. Mathonnet, F. Lansaque, K. Serebrenikov and L.T. Sun 168
Overview of the Livermore electron beam ion trap project
P. Beiersdorfer, E. Behar, K.R. Boyce, G.V. Brown, H. Chen, K.C. Gendreau, A. Graf, M.-F. Gu, C.L. Harris, S.M. Kahn, R.L. Kelley, J.K. Lepson, M.J. May, P.A. Neill, E.H. Pinnington, F.S. Porter, A.J. Smith, C.K. Stahle, A.E. Szymkowiak, A. Tillotson, D.B. Thorn, E. Träbert and B.J. Wargelin .. 173
Development of a cold HCI source for ultra-slow collisions
N. Oshima, T.M. Kojima, M. Niigaki, A. Mohri, K. Komaki, Y. Iwai and Y. Yamazaki 178
Tests of a laser ion source at the Heidelberg electron beam ion trap
V. Mironov, M. Trinczek, A. Werdich, A.J. González Martínez, P. Guo, X. Zhang, J. Braun, J.R. Crespo López-Urrutia and J. Ullrich 183
A compact electron beam ion source equipped with a bulk high-T_c superconductor solenoid
A. Endo, N. Nakamura, Y. Kanai, Y. Nakai, K.-i. Komaki and Y. Yamazaki 187

Section 2.2. New set-up

MOTRIMS as a generalized probe of AMO processes
R. Brédy, H. Nguyen, H. Camp, X. Fléchard and B.D. DePaola 191
A single ion ($Ar^{q+}q = 1,3$ or C_{60}^{3-}) in a conic electrode electrostatic trap
J. Bernard, S. Martin, L. Chen, H. Cederquist, A. Salmoun and R. Brédy 196
A high-current electron gun for electron–ion collision physics
W. Shi, J. Jacobi, H. Knopp, S. Schippers and A. Müller 201
A forward electron spectrometer for the ESR
S. Hagmann, Th. Stöhlker, J. Ullrich, Ch. Kozhuharov, R. Moshammer, H. Kollmus, R. Mann and M. Nofal 207
Applications of position sensitive germanium detectors for X-ray spectroscopy of highly charged heavy ions
Th. Stöhlker, D. Banas, H.F. Beyer, A. Gumberidze, C. Kozhuharov, E. Kanter, T. Krings, W. Lewoczko, X. Ma, D. Protic, D. Sierpowski, U. Spillmann, S. Tachenov and A. Warczak 210

Section 2.3. Ion source and trap optimisation

Particle-in-cell code library for numerical simulation of the ECR source plasma
G. Shirkov, V. Alexandrov, V. Preisendorf, V. Shevtsov, A. Filippov, R. Komissarov, V. Mironov, E. Shirkova, O. Strekalovsky, N. Tokareva, A. Tuzikov, V. Vatulin, E. Vasina, V. Fomin, A. Anisimov, R. Veselov, A. Golubev, S. Grushin, V. Povyshev, A. Sadovoi, E. Donskoi, T. Nakagawa and Y. Yano 215
Simulation and optimization of ion beam lines from ion sources
V. Alexandrov, N. Kazarinov, V. Shevtsov and G. Shirkov 220
Optimisation of highly charged ion currents and efficiency in ECR ion sources
M. Cavenago 225
A new device for the study of electron–ion interactions
F.J. Currell, J. Aiken, K.F. Dunn, X. Lu, R.W. McCullough, E.J. Sokell, B.E. O'Rourke, V. Krastev and H. Watanabe 230
Numerical simulation of the charge balance in an EBIT
X. Lu, H. Watanabe and F.J. Currell 234
Magnetic and electrode structure design for a new EBIT
H. Watanabe, J. Aiken, V. Krastev, X. Lu, B.E. O'Rourke and F.J. Currell 239

Section 2.4. EBIT diagnostics

EBIT diagnostics using X-ray spectra of highly ionized Ne
M. Matranga, M. Barbera, A. Maggio, G. Peres, S. Serio, E. Takács, E. Silver, J. Gillaspy, H. Schnopper, M. Laming, J. Beeman, E. Haller and N. Madden 244

Sawtooth-like X-ray emission observed in EBIT
R. Radtke, C. Biedermann and P. Bachmann 250
Line ratios and wavelengths of helium-like argon $n = 2$ satellite transitions and resonance lines
C. Biedermann, R. Radtke and K. Fournier 255
X-ray spectroscopy and ion extraction at the Dresden EBIT
U. Kentsch, S. Landgraf, M. Schmidt, G. Zschornack, F. Grossmann, V.P. Ovsyannikov and F. Ullmann 260
Dresden EBIT: Trap properties and ion production studied by X-ray spectroscopy of helium-like argon
U. Kentsch, G. Zschornack, F. Grossmann, V.P. Ovsyannikov and F. Ullmann 266

Section 3. Highly charged ions in plasmas, interaction of highly charged ions with photons and intense laser field

Section 3.1. Plasmas

Study of recombination processes during the expansion phase of titanium-plasma produced by picosecond Nd:glass laser radiation
A.M. Abd El-Hameed, I.M. Azzouz, G.H. Abou-Koura and Y.E.E.-D. Gamal 271
Scattering of magnetized electrons by a moving heavy ion
H.B. Nersisyan 276
Energy loss of high energy ion beams in a disordered plasma
H.B. Nersisyan and A.K. Das 281
Ion stopping in a magnetized anisotropic electron plasma
B. Möllers, C. Toepffer, M. Walter and G. Zwicknagel 285

Section 3.2. Interaction with photons

Recent results on the photoionisation of multiply-charged ions
J.M. Bizau, E. Bouisset, C. Blancard, J.P. Champeaux, A. Compant la Fontaine, C. Couillaud, D. Cubaynes, D. Hitz, C. Vinsot and F.J. Wuilleumier 290
Photoionization of Sc^{2+}: Experimental link with photorecombination of Sc^{3+} by application of detailed balance
S. Schippers, A. Müller, S. Ricz, M.E. Bannister, G.H. Dunn, J. Bozek, A.S. Schlachter, G. Hinojosa, C. Cisneros, A. Aguilar, A.M. Covington, M.F. Gharaibeh and R.A. Phaneuf 297
Photoionization of C^{2+} ions
A. Müller, R.A. Phaneuf, A. Aguilar, M.F. Gharaibeh, A.S. Schlachter, I. Álvarez, C. Cisneros, G. Hinojosa and B.M. McLaughlin 301

Section 3.3. Intense laser field

Multiphoton pair production by a highly charged ion in an intense laser field
C. Müller, A.B. Voitkiv and N. Grün 306
Interaction of intense laser pulses with atomic clusters: Measurements of ion emission, simulations and applications
J.W.G. Tisch, N. Hay, K.J. Mendham, E. Springate, D.R. Symes, A.J. Comley, M.B. Mason, E.T. Gumbrell, T. Ditmire, R.A. Smith, J.P. Marangos and M.H.R. Hutchinson 310
Characterization of argon cluster jets for laser interaction studies
F. Blasco, T. Caillaud, F. Dorchies, C. Stenz, J. Stevefelt, A.S. Boldarev and V.A. Gasilov 324
Experimental study of K-shell X-ray emission from argon clusters irradiated by an ultra-intense laser pulse
T. Caillaud, F. Blasco, F. Dorchies, Y. Glinec, Ch. Stenz and J. Stevefelt 329
X-ray emission from inner-shell ionization of Ne-like ions
K. Moribayashi, T. Kagawa and D.E. Kim 334

Investigation of multiple ionization of Krypton induced by short laser pulses
I.M. Azzouz 337
Xe(L) X-ray emission from laser–cluster interaction
L. Adoui, O. Gobert, P. Indelicato, E. Lamour, P. Meynadier, D. Normand, M. Perdrix, C. Prigent, J.-P. Rozet and D. Vernhet 341
Short wavelength X-ray emission generated by high intensity laser irradiation on Xe clusters
K. Moribayashi 346
Influence of the dynamical correlations on the ionization of irradiated metal clusters
E. Giglio, P.-G. Reinhard and E. Suraud 350
Highly charged ions generated with intense laser beams
J. Krása, K. Jungwirth, B. Králiková, L. Láska, M. Pfeifer, K. Rohlena, J. Skála, J. Ullschmied, V. Hnatowicz, V. Peřina, J. Badziak, P. Parys, J. Wołowski, E. Woryna and A. Szydlowski 355

Section 4. Collisions of highly charged ions with electrons

Physics with molecular ions in storage rings
D. Zajfman, S. Krohn, M. Lange, H. Kreckel, L. Lammich, D. Strasser, D. Schwalm, X. Urbain and A. Wolf 360

Section 4.1. Electronic recombination

Trielectronic recombination in Be-like ions
M. Schnell, M.E. Bannister, S. Böhm, G. Gwinner, S. Kieslich, A. Müller, S. Schippers, D. Schwalm, W. Shi, A. Wolf and S.-G. Zhou 367
Measurement of the field-induced dielectronic recombination rate enhancement of N^{4+} ions differential in the Rydberg quantum number n
S. Böhm, A. Müller, S. Schippers, W. Shi, H. Danared, N. Eklöw, M. Fogel, R. Schuch, N. Djurić, G.H. Dunn and K.B. MacAdam 370
X-ray transitions studied for decelerated bare and H-like uranium ions at the ESR electron cooler
A. Gumberidze, Th. Stöhlker, G. Bednarz, H.F. Beyer, F. Bosch, X. Cai, S. Hagmann, O. Klepper, C. Kozhuharov, D. Liesen, X. Ma, P.H. Mokler, D. Sierpowski, Z. Stachura, M. Steck, S. Toleikis, A. Warczak and Y. Zou 374
Dielectronic recombination in highly charged He-like ions
B.E. O'Rourke, F.J. Currell, H. Kuramoto, Y.-M. Li, S. Ohtani, X.-M. Tong and H. Watanabe 378
Configuration interaction effect on dielectronic recombination rate of complex ions
J. Yan, Y.-M. Li and J.-H. Yao 382
Angular distribution and correlation of photons emitted during dielectronic recombination into hydrogen-like ions
S. Zakowicz, W. Scheid and N. Grün 386
Two-step radiative recombination of polarized electrons into bare, high-Z ions
A. Surzhykov, S. Fritzsche and Th. Stöhlker 391
Scaling law for recombination in electron coolers
C. Heerlein, G. Zwicknagel and C. Toepffer 395

Section 4.2. Electron impact

Ionization–excitation magnetic sublevel cross sections for $He^+(2p)^2P^0$ states following fast electron and proton impact
H. Merabet, R. Bruch, S. Fülling, M. Bailey, A.L. Godunov, J.H. McGuire, A.N. Grum-Grzhimailo and K. Bartschat 399

Double ionization of helium by electrons: Role of angular correlation between the target electrons
P. Defrance, T.M. Kereselidze and Z.S. Machavariani 405
Strong contributions of indirect processes to the electron-impact ionization cross section of Sc^+ ions
J. Jacobi, H. Knopp, S. Schippers, W. Shi and A. Müller 410
High resolution multiple electron impact ionisation of He, Ne, Ar, Kr and Xe atoms close to threshold: Appearance energies and Wannier exponents
B. Gstir, S. Denifl, G. Hanel, M. Rümmele, T. Fiegele, M. Stano, L. Feketeova, S. Matejcik, K. Becker, P. Scheier and T.D. Märk 413
The measurement of the electron impact ionization cross-sections of hydrogen-like ions
H. Watanabe, F.J. Currell, H. Kuramoto, Y.M. Li, S. Ohtani, B.E. O'Rourke and X.M. Tong 417
Absolute measurements of cross-sections for near-threshold electron-impact excitation of Na-like and Mg-like multiply-charged ions
A.C.H. Smith, M.E. Bannister, Y.-S. Chung, A.M. Derkatch, N. Djurić, H.F. Krause, D.B. Popovic, B. Wallbank and G.H. Dunn 421
Electron impact ionization of Kr^{10+}–Kr^{18+} ions
I. Beigman, P. Defrance and L. Vainshtein 427
Electron-impact multiple ionization of Ba^{q+} ions ($1 \leqslant q \leqslant 13$) via resonant 3d excitation
H. Knopp, C. Böhme, J. Jacobi, S. Ricz, S. Schippers and A. Müller 433
Electron-impact single and multiple ionization of praseodymium ions
K. Aichele, W. Arnold, H. Bräuning, D. Hathiramani, F. Scheuermann, R. Trassl and E. Salzborn ... 437
Fully relativistic cross-sections for electron collisions with very highly stripped ions
D.L. Moores 444

Section 5. Collisions processes of highly charged ions with atoms and diatomic molecules

Electron emission in collisions of highly charged ions with atoms and diatomic molecules
R.D. Rivarola and P.D. Fainstein 448

Section 5.1. Excitation and ionization processes

Wave-function effects in the formation of ^2S, $^2P_-$ and $^2P_+$ states in collisions of lithium-like O^{5+} ions with He target
A. Orbán, T.J.M. Zouros and B. Sulik 464
Wave packet approach to the ionization of high-Z, hydrogen-like ions
S. Fritzsche, A. Surzhykov and Th. Stöhlker 469
Correlation in fast collisions of highly charged ions with atoms
J. Fiol and R.E. Olson 474
Correlation effects in differential electron-emission spectra obtained from double ionisation of He by fast Au^{53+} impact
T. Kirchner, L. Gulyás, R. Moshammer, M. Schulz and J. Ullrich 479
Interference effects in electron emission from H_2 by 3 and 5 MeV H^+ impact
S. Hossain, A.S. Alnaser, A.L. Landers, D.J. Pole, H. Knutson, A. Robison, B. Stamper, N. Stolterfoht and J.A. Tanis 484
Excitation of triply excited Be^+ ($2lnl'n'l''$) states in 300 and 500 keV-$Be^+ + CH_4$ collisions
R. Bruch, H. Merabet and K.T. Chung 488
Formation of doubly charged potassium ions in K^+–He and K^+–Kr collisions in the 1–10 keV energy range
M. Gochitashvili, B. Kikiani and R. Lomsadze 494
CDW-EIS theoretical calculations of projectile deflection for single ionization in highly charged ion–atom collisions
V.D. Rodríguez 498

On the high-energy limits for the double-to-single ionization ratio of helium and helium-like ions in collisions with charged and neutral particles
A.B. Voitkiv, C. Müller and N. Grün 504

Section 5.2. Transfer processes

Differential electron scattering from positive ions measured by zero-degree ion–atom spectroscopy
T.J.M. Zouros, E.P. Benis, T.W. Gorczyca, A.D. González, M. Zamkov and P. Richard 508
Comparison of two experimental techniques for the determination of the 1s2s ^{3}S metastable beam fraction in energetic B^{3+} ions
E.P. Benis, M. Zamkov, P. Richard and T.J.M. Zouros 517
Absolute measurements and calculation of triple electron capture cross sections in fast 0.5–1.1 MeV/u C^{6+} on Ar collisions
M. Zamkov, E.P. Benis, P. Richard, T.G. Lee and T.J.M. Zouros 522
Ejected electron spectra from highly excited states in high-energy collisions of O^{q+} with He
K. Kawatsura, K. Takahiro, M. Imai, M. Sataka, K. Komaki and H. Shibata 528
Theoretical study of cusp-electron emission from O^{8+} + Ar collisions
L. Sarkadi 533
Final-state interaction description of the autoionization of atoms by ion impact in the velocity matching regime
R. Della Picca and R.O. Barrachina 539
Extracting low-energy electron–atom scattering parameters from ionic measurements
P. Macri and R.O. Barrachina 543
Coincident Auger electron and recoil ion momentum spectroscopy for low-energy ion–atom collisions
G. Laurent, M. Tarisien, X. Fléchard, P. Jardin, L. Guillaume, P. Sobocinski, L. Adoui, A. Bordenave-Montesquieu, D. Bordenave-Montesquieu, J.-Y. Chesnel, F. Frémont, D. Hennecart, E. Liénard, L. Maunoury, P. Moretto-Capelle and A. Cassimi 546
Electron–electron interaction in strong central fields studied by resonant transfer and excitation with two-photon processes in U^{91+} – H_2 collisions
X. Ma, P.H. Mokler, G. Bednarz, F. Bosch, A. Gumberidze, C. Kozhuharov, D. Liesen, D. Sierpowski, Z. Stachura, Th. Stöhlker and A. Warczak 550

Section 5.3. Electron capture processes

Electron transfer and ionisation in homonuclear collisions of triply charged Ar and Kr ions
H. Bräuning, A. Diehl, A. Theiß, R. Trassl and E. Salzborn 555
Multi-electron processes in slow He^{2+}–Na collisions measured with MOTRIMS
S. Knoop, J.W. Turkstra, R. Morgenstern, R.E. Olson and R. Hoekstra 560
Angular differential energy gain measurements of highly charged ion–atom collisions at 100 and 120 eV/q
M. Hoshino, Y. Kanai, F. Mallet, Y. Nakai, M. Kitajima, H. Tanaka and Y. Yamazaki 568
Double-electron capture in relativistic U^{92+} collisions at the ESR gas-jet target
G. Bednarz, D. Sierpowski, Th. Stöhlker, A. Warczak, H. Beyer, F. Bosch, A. Bräuning-Demian, H. Bräuning, X. Cai, A. Gumberidze, S. Hagmann, C. Kozhuharov, D. Liesen, X. Ma, P.H. Mokler, A. Muthig, Z. Stachura and S. Toleikis 573
State-selective single-electron capture in Ne^{4+}–He collisions
E.Y. Kamber, R. Ali and A.A. Hasan 577
Studies of state selective electron capture processes by helium-like ions in H and H_2
R.W. McCullough, D.M. Kearns, J.B. Greenwood and H.B. Gilbody 581
Electron transfer to individual magnetic substates of 3p ^{2}P in collisions of helium-like ions with two-electron targets
A. Konnai, H. Tanuma and N. Kobayashi 586

Theoretical investigation of the electron capture in collisions of O^{8+} ion with H and He atoms: Comparison between the Landau–Zener and the over-barrier models
L. Lugosi and L. Sarkadi 591
Two-electron capture processes in collisions of Be^{4+} and Be^{3+} ions with He atoms
N. Shimakura, K. Atarashi, S. Suzuki and T. Shirai 596
Total cross sections for charge transfer by multiply charged neon and argon ions colliding with various hydrocarbons at keV energies
T. Kusakabe, Y. Miyamoto, R. Ishida, K. Itoh, N. Kuroyanagi, Y. Nakai and T. Shirai 600
Cascade transition X-rays from electron capture into highly charged ions in collisions with neutral gas targets
H. Tawara, E. Takács, L.P. Ratliff, J.D. Gillaspy and K. Tőkési 605
Multiple electron transfer in slow collisions of highly charged ions and atoms
B. Zarour and U. Saalmann 610

Section 6. Interaction of highly charged ions with molecules and clusters

Section 6.1. Molecular fragmentation

Alignment measurements in collisions of D_2^+ with doubly charged projectiles
I. Reiser and C.L. Cocke 614
Orientation dependence of multiple electron transfer in collisions of slow highly charged ions with rare gas dimers
T. Ohyama-Yamaguchi and A. Ichimura 620
State-selective scattering angular dependent fragmentation of N_2 by slow Kr^{8+} ion impact
T. Kaneyasu, T. Azuma, M. Ehrich, M. Yoshino and K. Okuno 624
Orientation dependence of N_2 and O_2 multiple ionization in slow and fast collisions with highly charged Xe-ions
B. Siegmann, U. Werner, H. Lebius, B. Huber, H.O. Lutz and R. Mann 629
Single-electron capture by He^{2+} ions from triatomic molecules
O. Abu-Haija, E.Y. Kamber and S.M. Ferguson 634
Multiple ionization and fragmentation of CH_4 in collisions with slow highly charged ions
U. Werner, B. Siegmann, H. Lebius, B. Huber and H.O. Lutz 639

Section 6.2. Interaction with biomolecules and clusters

Energy releases in the fission of multiply charged C_{60} ions
J. Jensen, H. Zettergren, A. Fardi, H.T. Schmidt and H. Cederquist 643
Energy loss in Ar^{16+}, Kr^{16+}, Xe^{16+}–C_{60} collisions at low energy
R. Brédy, J. Bernard, L. Chen, M.C. Buchet-Poulizac, A. Salmoun and S. Martin 651
Multi-fragmentation of C_{60} induced by $^4He^{2+}$ impact (E60 keV/amu) and investigated by a multi-correlation technique
A. Rentenier, P. Moretto-Capelle, D. Bordenave-Montesquieu and A. Bordenave-Montesquieu 656
Effect of collective response on the X-ray emission due to electron capture in high energy bare ion collisions with fullerenes
U. Kadhane, Y.P. Singh, D. Misra and L.C. Tribedi 661
Fragmentation of thymidine and deoxyadenosine induced by slow multiply charged ions
B. Manil, H. Lebius, B.A. Huber, D. Cormier and A. Pesnelle 666
Multiple ionization of water by heavy ions: a Monte Carlo approach
C. Champion 671
Charge transfer, excitation and evaporation in low energy collisions of simple metal clusters and fullerenes with atomic targets
P.-A. Hervieux, L.F. Ruiz, B. Zarour, M.F. Politis, J. Hanssen and F. Martin 677

Charge emission and decay dynamics of highly charged clusters and micro-droplets
B. Manil, G.E. Ntamack, H. Lebius, B.A. Huber, D. Duft, T. Leisner, F. Chandezon and C. Guet ... 684

Section 7. Interaction of highly charged ions with surfaces, microcapillaries and solids

Section 7.1. Interaction with surfaces

Interaction of highly charged ions with insulator surfaces at low velocities: Estimates for Auger rates
J. Burgdörfer, C.O. Reinhold and F. Meyer ... 690
Projectile neutralization in large-angle back-scattering of slow F^{q+}, Ne^{q+} and Ar^{q+} incident on RbI(100)
F.W. Meyer, H.F. Krause and C.R. Vane ... 700
Energy loss of 15-keV Ar^{q+} ($q = 1$–3) ions reflected from a KCl(001) surface
K. Nakajima, M. Nakamura, T. Tsujioka and K. Kimura ... 705
Numerical simulations of electron capture in low energy He^{+}(1s) on Al(111) collisions
S. Jequier, H. Jouin, C. Harel and F.A. Gutierrez ... 709
Charge exchange and surface-induced dissociation of doubly charged molecular ions $C_6H_5^{2+}$, $C_6H_6^{2+}$ and $C_7H_8^{2+}$ upon impact on a stainless steel surface
A. Qayyum, C. Mair, T. Tepnual, W. Schustereder, P. Scheier and T.D. Märk ... 714
Step effects in the interaction of highly charged ions (HCI) with a metal surface
A. Robin, D. Niemann, N. Stolterfoht and W. Heiland ... 719
Secondary ion emission from a water and fluorine adsorbed Si(100) surface irradiated with electrons and highly charged ions
N. Okabayashi, K. Komaki and Y. Yamazaki ... 725
Electron emission from below the surface induced by highly charged ions: Effect of depth distribution of electron excitation and ion transport on the emission properties
A. Dubus, N. Pauly and M. Rösler ... 730
Analysis of surface modifications on graphite induced by slow highly charged ion impact
A. Hida, T. Meguro, K. Maeda and Y. Aoyagi ... 736
Ion beam mixing in Fe/Si and Ta/Si bilayers: Possible effects of ion charges
S. Dhar, P. Schaaf, K.P. Lieb, N. Bibić, M. Milosavljević, T. Sajavaara, J. Keinonen and A. Traverse 741
Model of nanoisland nucleation in surface thermal spikes caused by energetic electronic excitations
M.V. Sorokin and A.E. Volkov ... 746
AFM search for slow MCI-produced nanodefects on atomically clean monocrystalline insulator surfaces
I.C. Gebeshuber, S. Cernusca, F. Aumayr and HP. Winter ... 751

Section 7.2. Interaction with microcapillaries and crystals

Visible light spectroscopy of Ar^{6+} ions in high Rydberg states produced with a microcapillary target
Y. Morishita, Y. Kanai, K. Ando, R. Hutton, T. Brage, H.A. Torii, K. Komaki, H. Masuda, K. Ishii, F.B. Rosmej and Y. Yamazaki ... 758
High-resolution soft X-ray spectroscopy of slow highly charged ions transmitted through a microcapillary target
Y. Iwai, Y. Kanai, Y. Nakai, T. Ikeda, H. Oyama, K. Ando, H. Masuda, K. Nishio, M. Nakao, H.A. Torii, K. Komaki and Y. Yamazaki ... 762
Fast ion passing through straight and bent nanotubes
A.A. Greenenko and N.F. Shul'ga ... 767
Impact parameter dependent electron capture by decelerated U^{91+} ions at 20 MeV/u using crystal channeling conditions
D. Dauvergne, A. Bräuning-Demian, F. Bosch, H. Bräuning, M. Chevallier, C. Cohen, A. Gumberidze, A. L'Hoir, R. Kirsch, C. Kozhuharov, D. Liesen, P.H. Mokler, J.C. Poizat, C. Ray, Th. Stöhlker, M. Tarisien, E. Testa, S. Toleikis and M. Toulemonde ... 773

Angular distribution of X-ray emission from resonant coherently excited highly-charged heavy ions
T. Azuma, T. Muranaka, Y. Takabayashi, T. Ito, C. Kondo, K. Komaki, Y. Yamazaki, S. Datz, E. Takada and T. Murakami 779
Resonant coherent excitation of 94 MeV/u Ar^{17+} ions channeling through a Si crystal
Y. Nakai, T. Ikeda, Y. Kanai, T. Kambara, N. Fukunishi, T. Azuma, K. Komaki, Y. Takabayashi and Y. Yamazaki 784

Section 7.3. Interaction with condensed matter and transport effects in solids

Inner-shell vacancy production and multiple ionization effects in 0.1–1.75 MeV/u Mn, Fe, Co, Ni, Cu + Au, Bi collisions
C. Ciortea, I. Piticu, D.E. Dumitriu, D. Flueraşu, A. Enulescu, S.Z. Szilagyi, S.E. Enescu, M.M. Gugiu and T.A. Dumitrescu 789
M-shell X-ray production cross sections of Bi induced by highly charged F ions
Y. Singh and L.C. Tribedi 794
Highly excited states of sulphur projectiles inside a carbon target
U. Majewska, J. Braziewicz, M. Polasik, K. Słabkowska, I. Fijał, M. Jaskóła, A. Korman, S. Chojnacki and W. Kretschmer 799
Impact parameter dependent stopping power for highly charged ions
M. Moneta and J. Czerbniak 808
The role of transient excitations of fast highly charged ions in their stopping kinetics
V.V. Balashov 813
Quantum trajectory Monte Carlo method describing the coherent dynamics of highly charged ions
T. Minami, C.O. Reinhold and J. Burgdörfer 818
Multiple electron capture from thin C-foils into 46 MeV/u U^{91+}
H. Bräuning, A. Bräuning-Demian, G. Bednarz, F. Bosch, X. Cai, C. Cohen, D. Dauvergne, A. Gumberidze, R. Kirsch, C. Kozhuharov, D. Liesen, P.H. Mokler, J.-P. Rozet, Z. Stachura, Th. Stöhlker, M. Terasawa, S. Toleikis and A. Warczak 826
Highly transverse velocity distribution of convoy electrons emitted by highly charged ions
M. Seliger, K. Tőkési, C.O. Reinhold and J. Burgdörfer 830
Saturation effects in highly charged ion interaction with thin carbon foils
B. Gervais, M. Beuve, M. Caron and H. Rothard 835
Recent results on fast intermediate velocity electron production induced by 19^+ 45 A MeV ^{58}Ni highly charged ions on thin solid targets
G. Lanzanò, E. De Filippo, A. Anzalone, N. Arena, M. Geraci, F. Giustolisi, A. Pagano, H. Rothard and C. Volant 841

Author index 847